

Merchant Integration User Guide

Version Control

Version	Date	Description
V1	16-9-2018	Initial Version
V2	31-12-2018	Test Payment

Contents

Brief of Description:	3
Maktapp Payment Services	4
Service Description:	4
Open payment Page: 4	
Crul Example:	5
Php Example:	6
How to see Payment steps using test credit card data?	7
Step of Test Mode:	7
Verify Payment state:	9
curl Request:	9
C# Example:	10

Brief of Description:

When a Cardholder clicks on the "Pay Now" button in a merchant Web application, the merchant will **redirect** the cardholder to payment page.

The Cardholder provides, on a secure web page, his credit card data and then clicks on the "pay now" button in payment page.

Maktapp payment Gateway **will process** the payment and **redirect** the cardholder to a success or a failure page in merchant's App according to the status of the processing.

To know the status of an order, the merchant application can call a service from Maktapp Payment service, which returns the status of an order ("Pending", "SUCCESS", **and** "FAILURE") according to payment status.

In addition to "SUCCESS" status in SUCCESS case, it will return "TransactionID", "PaymentDate", "isTest", **and** "Currency",...etc.

In Failure case, it will return payment description and why it failed.

The first step before requesting MaktappPayment services is getting the API key, by registering in Maktapp to become a merchant in Maktapp Gateway, which you should provide data about your application:

- URL of success page.
- URL of failure page.
- Commercial Registration.
- A photo of the personal identity.
- Type of your application website or mobile application.
- Your application Name to use it in notification.
- API Key of your application in firebase to send notification to device after the end of payment process.
- In addition, other requirement.

After registering, the merchant will get an API Key (**which is called a merchant token**), this token will be used later in requesting Maktapp Payment service.

Maktapp Payment Services

- 1- Open Payment Page.
- 2- Verify an order.

Service Description:

1- Open payment Page:

Call this service to get the URL of Payment page to allow a cardholder to enter his/her credit card data (card number, CVV, expiry date), and complete payment in your application.

Request:

Post <https://maktapp.credit/v2/AddTransaction>

Request Attributes:

Name	type	required	Description
Token	string	Yes	Merchant Token, should be a Guid value .
currencyCode	string	No	Currency code of payment. You should use one of values QAR, USD, EUR. Default value is QAR. If you want more currency code, you should contacting Help Center of Maktapp to add these codes.
orderId	string	Yes	Order's id of transaction.
Note	string	No	Note about transaction
isRecurring	bool	No	Boolean value to indicate if the payment is recurring or not, default value is false.
customerEmail	string	yes	Email id of customer who pay
customerCountry	string	No	The country of customer should be one of this values QATAR, OMAN, Kuwait. Default value is 'Qatar'. If you want more countries, you should contacting Help Center of Maktapp to open it for these countries
Lang	string	No	Language of payment page {'ar', 'en'}. Default value is 'ar'.
Amount	double	Yes	Payment value that will be detected from cardholder account.

FcmToken	string	No	firebase cloud messaging token of the device if the application is mobile app.
-----------------	--------	----	--

If **all** the parameters of the request **are valid**, the method call will return the **URL of payment page** in json format.

Then you should use this URL to **redirect the browser** to payment Page.

After the cardholder enters the data in payment page, and clicking "pay now" button in payment page, MaktappPayment will process the transaction and redirect a cardholder to a success or failure page of the merchant application depending on the status of payment.

MaktappPayment will request Success page and failure page of merchant application, with the following Parameter:

Success URL:

<Merchant Success URL (To be shared by Maktapp)>?transid=&orderId=&mode=

Failure URL:

<Merchant Failure URL (To be shared by Maktapp)>?)>?transid=&orderId=

Crul Example:

```
#Request
curl https://maktapp.credit/v2/AddTransaction
-H "Content-Type: application/json"
-d '{
  "token":"your Api Key",
  "currencyCode":"QAR",
  "orderId":"1234567",
  "Note":"testpayment",
  "isRecurring":false,

  "customerEmail":"dalia@test.com",
  "customerCountry":"QATAR",
  "Lang":"ar",
  "Amount":10,
  FcmToken: "device fcm_token"
}'
# Response JSON
{
```

```
"result": "http://vistamoney.info/paymentgateway-external/pghostedvista.xhtml?trackId=wqm034&terminalId=MAKT111&amount=10&currency=QAR"
}
```

Php Example:

```
$data = array('token'=> 'E4B73FEE-F492-4607-A38D-852B0EBC91C9'),
             'amount' => 30.23 ,
             'currencyCode' => 'QAR' ,
             'orderId' => '1234567',
             'note' => ' test payment' ,
             'isRecurring' => false ,
             'lang' => 'ar' ,
             'customerEmail' => 'dalia@maktapp.com' ,

             'customerCountry' => 'qatar' ,
FcmToken: " eM76PTu7QpQ:APA91bF-
xoUSUiwzc192oe6b5W2yBpe6lbUNqorMmsQdA0znSuJZJwjr0Y13bA30GN4qsXM
03Y2QQ2HU2OaxqOyFxFz6O8g-qpjQYFtOztKtxJW3s9zP58_7tk8-
XVpC21mrfXRh3e1T"

);
$json_url = 'https://maktapp.credit/v2/AddTransaction';
$curl = curl_init();
curl_setopt($curl, CURLOPT_URL, $url);
curl_setopt($curl, CURLOPT_RETURNTRANSFER, TRUE);
curl_setopt($curl, CURLOPT_CUSTOMREQUEST, 'POST'); curl_setopt($curl,
CURLOPT_HTTPHEADER, array('Content-Type: application/json'));
curl_setopt($curl, CURLOPT_CONNECTTIMEOUT, 10);
curl_setopt($curl, CURLOPT_POSTFIELDS, $data);
$response = curl_exec($curl);
$data_json_decode = json_decode($response['body']);
if ($data_json_decode->{'result'} != -1) {
header (Location : $data_json_decode->{'results'} ;
}
}
```

If the values of the one parameter is not valid, the result of calling request will be one of the following cases:

Result	Description
{"result":-10}	One of the required request attribute is null (token, orderId, customerEmail, amount)
{"result":-1}	There is no merchant associated with token that passed in the request.
{"result":-2}	Values of request attribute (currencyCode, customerCountry, token) are not valid. CurrencyCode, customerCountry values are not supported in Maktapp Payment. Token is not valid GUID.
{"result":-3}	Values of request attribute (currencyCode, customerCountry) are not valid.
{"result":-4}	Values of request attribute (currencyCode, token) are not valid.

<code>{"result":-6}</code>	Values of request attribute (token, customerCountry) are not valid.
<code>{"result":-7}</code>	Values of request attribute (customerCountry) are not valid.
<code>{"result":-8}</code>	Values of request attribute (token) are not valid.
<code>{"result":-9}</code>	Values of request attribute (currencyCode) are not valid.

How to see Payment steps using test credit card data?

To see Payment steps (request paymentpage, open payment page, enter card data, process payment, go to success page of your application) without using real card data, you should ask Maktapp Support to make your merchant in Test mode.



Then, you can use Test environment to see the payment steps.

Step of Test Mode:

- 1- Request of payment page as mentioned before, the result would like this:

```
{
  "result":
  "https://maktapp.credit/pay/MaktappPayment?token=11&currencyCode=QAR&orderId=RVX6PWK5&customerCountry=Qatar&amount=12&isrecurring=false&lang=ar&merchantName=MakShop&IsTest=true"
}
```

- 2- Open the resulting URL in your application, it will open one of the following page according to language of payment:



3- Click in pay 12 QAR button, you will be redirected to success page of your application without entering and real credit card data.

This Payment will be registered as Test Payment, So will not be considered later in balance operation.

In addition, you should register this payment in your database as a test Payment.

2- Verify Payment state:

After requesting the success page of the merchant application from MaktappPayemnt, the application should validate the request to ensure that the request from MaktappPayment not from than a hacker. To validate this, you can use the second service, which will return data about order as a json format.

POST <http://maktapp.credit/v2/ValidatePayment>

Request attribute:

Name	Description
orderId	String value, indicate order id which has been sent requesting of payment page
Token	String value, Merchant token.

which will return a json data about the status of the order.

curl Request:

```

curl https://maktapp.credit/v2/ ValidatePayment
-H "Content-Type: application/json"
-d '{
    "token":"E4B73FEE-F492-4607-A38D-852B0EBC91C9",
    "orderId":1234567,
}'
Or
curl https://maktapp.credit//v2/ValidatePayment
-H Content-Type: application/x-www-form-urlencoded
-d ' token=E4B73FEE-F492-4607-A38D-852B0EBC91C9&orderID=123456'
# Response JSON

```

```
{
  "result": 1,
  "payment": {
    "transactionID": "5891502543091174859",
    "paymentAmount": 12,
    "currencyCode": "QAR",
    "customerEmail": "dalia@test.com",
    "paymentDate": "2018-09-10T07:53:51.577",
    "paymentstate": "SUCCESS",
    "auth" : "5344",
    "rrn": null,
    "eci": null,
    "mode": "live"
  }
}
```

C# Example:

```
using (WebClient wc = new WebClient())
{
  wc.Headers[HttpRequestHeader.ContentType] = "application/x-www-form-
  urlencoded";

  System.Collections.Specialized.NameValueCollection postData =
  new System.Collections.Specialized.NameValueCollection()
  {
    { "OrderID", "1234567" },
    { " token ", " E4B73FEE-F492-4607-A38D-852B0EBC91C9" }
  };

  var res = wc.UploadValues("https://maktapp.credit/v2/ValidatePayment",
  postData);
}
```

The values of "payment state" in response of request may have one of the following values ("SUCCESS", "PENDING", "FAILURE").

The values of "mode" in response of request may have one of the following value ("Test", "Live").

If one the request parameter is null or not valid, the result of request will be as following:

Result	Description
{"result":-1}	One of the request parameter is null(orderID or token)
{"result":-2}	There is no Payment with this orderId
{"result":-3}	Passed Token is not valid GUID